L Number	Hits	Search Text	DB	Time stamp
1	1	6184832.pn.	USPAT; US-PGPUB	2004/07/22 12:12
2	0	6184832.pn. and (beam adj (forming or steering))	USPAT; US-PGPUB	2004/07/22 12:13
3	0	6184832.pn. and (forming or steering)	USPAT; US-PGPUB	2004/07/22 12:18
4	0	6184832.pn. and (scanning)	USPAT; US-PGPUB	2004/07/22 12:18
5	0	6184832.pn. and (scan$6)	USPAT; US-PGPUB	2004/07/22 12:20
6	1	6184832.pn. and (chang$6 near$ (direction or angle))	USPAT; US-PGPUB	2004/07/22 12:21
7	1	6184832.pn. and (chang$ near$ (direction or angle))	USPAT; US-PGPUB	2004/07/22 12:22
8	0	6184832.pn. and (chang$)	USPAT; US-PGPUB	2004/07/22 12:30
9	0	6184832.pn. and (focus$)	USPAT; US-PGPUB	2004/07/22 12:31
10	146078	(phased array) and (beam focus$5)	USPAT; US-PGPUB	2004/07/22 12:54
11	56336	((phased array) and (beam focus$5)) and (electromagnetic radiation)	USPAT; US-PGPUB	2004/07/22 12:58
12	38224	(((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$ steer$) with (phase$ near$ shift$))	USPAT; US-PGPUB	2004/07/22 12:49
13	38162	((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$ steer$) with (phase$ near$ shift$))) and ((beam near$ focus$) with (phase$ near$ shift$))	USPAT; US-PGPUB	2004/07/22 12:50
14	38196	(((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$3 steer$5) with (phase$2 near$3 shift$5))	USPAT; US-PGPUB	2004/07/22 12:49
15	37388	((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$3 steer$5) with (phase$2 near$3 shift$5))) and ((beam near$2 focus$5) with (phase$2 near$2 shift$4))	USPAT; US-PGPUB	2004/07/22 12:56
16	37374	(((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$3 steer$5) with (phase$2 near$3 shift$5))) and ((beam near$2 focus$5) with (phase$2 near$2 shift$4))) and (dielectric$2 near$4 (array near$2 element$2))	USPAT; US-PGPUB	2004/07/22 12:52
17	35657	((((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$3 steer$5) with (phase$2 near$3 shift$5))) and ((beam near$2 focus$5) with (phase$2 near$2 shift$4))) and (dielectric$2 near$4 (array near$2 element$2))) and (dielectric$2 near$4 antenna$2)	USPAT; US-PGPUB	2004/07/22 12:56
18	692	(((((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$3 steer$5) with (phase$2 near$3 shift$5))) and ((beam near$2 focus$5) with (phase$2 near$2 shift$4))) and (dielectric$2 near$4 (array near$2 element$2))) and (dielectric$2 near$4 antenna$2)) and ((phased array) near3 (transmitter$2))	USPAT; US-PGPUB	2004/07/22 12:57

C:\APPS\EAST\Workspaces\default.wsp

19	7	(((((((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$3 steer$5) with (phase$2 near$3 shift$5))) and ((beam near$2 focus$5) with (phase$2 near$2 shift$4))) and (dielectric$2 near$4 (array near$2 element$2))) and (dielectric$2 near$4 antenna$2)) and ((phased array) near3 (transmitter$2))) and ((beam near2 focus$5) with (phase$2 near2 shift$4))	USPAT; US-PGPUB	2004/07/22 12:58
20	0	((((((((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((beam near$3 steer$5) with (phase$2 near$3 shift$5))) and ((beam near$2 focus$5) with (phase$2 near$2 shift$4))) and (dielectric$2 near$4 (array near$2 element$2))) and (dielectric$2 near$4 antenna$2)) and ((phased array) near3 (transmitter$2))) and ((beam near2 focus$5) with (phase$2 near2 shift$4))) and (dielectric$2 near4 antenna$2)	USPAT; US-PGPUB	2004/07/22 12:56
21	917	(((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((phased array) near3 (transmitter$2))	USPAT; US-PGPUB	2004/07/22 12:57
22	7	((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((phased array) near3 (transmitter$2))) and ((beam near2 focus$5) with (phase$2 near2 shift$4))	USPAT; US-PGPUB	2004/07/22 12:58
23	7	(((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((phased array) near3 (transmitter$2))) and ((beam near2 focus$5) with (phase$2 near2 shift$4))) and (electromagnetic radiation)	USPAT; US-PGPUB	2004/07/22 13:07
24	22	((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((phased array) near3 (transmitter$2))) and (dielectric near3 (antenna or (array near2 element$2)))	USPAT; US-PGPUB	2004/07/22 13:09
25	4	(((((phased array) and (beam focus$5)) and (electromagnetic radiation)) and ((phased array) near3 (transmitter$2))) and (dielectric near3 (antenna or (array near2 element$2)))) and (beam near3 steer$5)	USPAT; US-PGPUB	2004/07/22 13:09

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	☐	☐	US 20010056282 A1	20011227	86	Fundoplication apparatus and method	606/139
2	☐	☒	US 5969661 A	19991019	9	Apparatus for and method of detecting a reflector within a medium	342/22

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5
1			Sonnenschein, Elazar et al.	☒	☐	☐	☐	☐	☐	☐
2	367/138; 367/7		Benjamin, Ralph	☒	☐	☐	☐	☐	☐	☐

	Image Doc. Displayed	PT
1	US 20010056282	☐
2	US 5969661	☐